



Nyilatkozat idényjellegű, egy zónaidős „H” árszabás alkalmazásához

Érkezett: 20

ÜK szám:

Felhasználó neve:										
Felhasználó azonosító szám:	1	0								
Felhasználási hely címe:										
Fogyasztási hely azonosító:	0	4								

A „H” árszabás alkalmazását az alábbi hőszivattyús-berendezés üzemeltetéséhez igénylem:


Berendezés					
gyártója: Rotovill Zrt.				típusjelzése: RCOOL Solo 3 2,7 kW	
Hőszivattyú					
névleges villamos teljesítménye (kW): 0,84		fűtési teljesítménye (kW): 3,2		jósági tényezője (SCOP értéke): 4,2	
Hőszivattyú működési rendszere (a megfelelőt kérjük bekarikázni)					
☒ levegő - levegő	☐ levegő - víz	☐ talaj - levegő	☐ talaj - víz	☐ víz - levegő	☐ víz - víz
A különmért áramkörön lévő hőszivattyús hőellátó rendszer teljes egyidejű villamos teljesítménye (kW):					
A hőszivattyú várható fogyasztása (kWh)					
fűtési időszakban (október 15. – április 15.): 782 kWh/év			nyári időszakban (április 16. – október 14.): 145 kWh/év		

Kijelentem, hogy a „H” árszabást kizárólag a külön mért felhasználói áramkörre állandó jelleggel, megfelelő segédeszköz (szerszám) hiányában állagsérelem nélkül nem leválasztható módon, nem dugaszolhatóan csatlakoztatott, legalább 3,4 (SCOP) jósági fokú hőszivattyúk, és a napenergiából és egyéb megújuló energiaforrásokból nyert hőt épületek hőellátására hasznosító berendezések üzemeltetését közvetlenül szolgáló készülékek (pl. keringető szivattyúk, automatikák) villamosenergia-fogyasztására használom fel.

Kelt: _____

felhasználó

A villamosenergia elosztás biztosítása, a csatlakozási-, és hálózathasználati szerződés teljesítése keretében kezelt személyes adatokra vonatkozó tájékoztatást a www.mvmnext.hu honlapon és az ügyfélszolgálati irodáinkban elérhető Általános Adatkezelési Tájékoztatóban találhatja meg. Az ügyintézés során készített hangfelvétellel összefüggésben kezelt személyes adatokra vonatkozó tájékoztatást a www.mvmnext.hu honlapon és az ügyfélszolgálati irodáinkban elérhető Hangfelvétel Rögzítésére Vonatkozó Adatkezelési Tájékoztatóban találhatja meg.



Nyilatkozat

A Rotovill Zrt. tovább tanúsítja az

- AHEE231000221451
- AHEE231000214953
- AHEE230900189952

számú nyilatkozatok alapján, hogy az RCOOL SOLO 3 típusú levegő-levegő hőszivattyúk COP értéke 2°C külső- és 20°C helyiség hőmérséklet esetén a következő:

Berendezés típusa:

RCOOL SOLO 3 2,7 kW
RCOOL SOLO 3 3,5 kW
RCOOL SOLO 3 5,4 kW

COP értéke:

4,45
4,24
4,07

Pécs, 2025. 05. 20.

 107
ROTOVILL Kereskedelmi és Szolgáltató Zrt.
7631 Pécs, Csikor Kálmán u. 26.
Adószám: 323796192-02
Szé. szám: 10402427-50526684-70681008

Várhalmi Attila
vezérigazgató

Test data according to EN 14825:2022**Test condition (Cooling function) :**Voltage: 230 V / Frequency: 50 Hz / Harmonic distortion: 1.0 %.Table 2 — Part load conditions for reference SEER and reference SEER_{adj} calculation of air-to-air units

	Part load ratio	Part load ratio %	Outdoor air dry bulb temperature °C	Indoor air dry bulb (wet bulb) temperatures °C
A	(35-16)/(Tdesign - 16)	100	35	27(19)
B	(30-16)/(Tdesign - 16)	74	30	27(19)
C	(25-16)/(Tdesign - 16)	47	25	27(19)
D	(20-16)/(Tdesign - 16)	21	20	27(19)

Test condition	Cooling capacity(W)	Cooling power input(W)	EER	Remark (For variable capacity units, the frequency settings for the same part load conditions.)
A	2719,8	831,5	3,27	54 Hz
B	1849,9	335,4	5,52	29 Hz
C	1257,5	134,9	9,32	16 Hz
D	830,9	48,6	17,10	10 Hz

Test condition (Heating function(Average)) :Voltage: 230 V / Frequency: 50 Hz / Harmonic distortion: 1.0 % ;Tj (bivalent temperature): -7°C; operating limit (TOL): -10°C.Table 6 — Part load conditions for reference SCOP, reference SCOP_{adj} and reference SCOP_{adj} calculation of air-to-air units for the reference heating season "A" = average

A		Outdoor air dry bulb (wet bulb) temperatures °C	Indoor air dry bulb temperature °C
Part load ratio	Part load ratio %		
A	(-7-16)/(Tdesign - 16)	-7(-8)	20
B	(+2-16)/(Tdesign - 16)	2(1)	20
C	(+7-16)/(Tdesign - 16)	7(6)	20
D	(+12-16)/(Tdesign - 16)	12(11)	20
E	(TOL-16)/(Tdesign - 16)	TOL	20
F	(Tbivalent-16)/(Tdesign - 16)	Tbivalent	20

Test condition	Heating capacity(W)	heating power input(W)	COP	Remark (For variable capacity units, the frequency settings for the same part load conditions.)
A	2034,5	750,7	2,71	62 Hz



Unless otherwise agreed in writing, this document is issued by the Company, subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/Technical/Conditions-of-Service.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Document at <http://www.sgs.com/Technical/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of heating inspection report & certificate, please contact us at telephone: (86-731) 8397 1443, or email: CN.doccheck@sgs.com
 19125 Nanhai, 12, Dapin Avenue, Foshan, China
 中国·广东·佛山市南海区丹灶镇太平大道中12号 邮编: 226001 | 86-51(0)7575000 | 86-51(0)7575001 | www.sgs.com.cn
 中国·广东·佛山市南海区丹灶镇太平大道中12号 邮编: 226001 | 86-51(0)7575000 | 86-51(0)7575001 | www.sgs.com.cn

Member of the SGS Group (SGS SA)

B	1226,7	275,4	4,45	28 Hz
C	821,6	161,5	5,09	18 Hz
D	721,7	115,4	6,25	13 Hz
E	2394,7	1050,3	2,28	85 Hz
F	2034,5	750,7	2,71	62 Hz

Test condition (Heating function(Warmer)) :

Voltage: 230 V / Frequency: 50 Hz / Harmonic distortion: 1.0 % :

Tj (bivalent temperature): 2°C; operating limit (TOL): 2°C.

Table 7 — Part load conditions for reference SCOP, reference SCOPon and reference SCOPnet calculation of air-to-air units for the reference heating season "W" = warmer

	W		Outdoor air dry bulb (wet bulb) temperatures	Indoor air dry bulb temperature
	Part load ratio	Part load ratio		
		%	°C	°C
A	(not applicable)			
B	$(+2-16)/(T_{designh} - 16)$	100	2(1)	20
C	$(+7-16)/(T_{designh} - 16)$	64	7(6)	20
D	$(+12-16)/(T_{designh} - 16)$	29	12(11)	20
E	$(TOL-16)/(T_{designh} - 16)$		TOL	20
F	$(T_{bivalent}-16)/(T_{designh} - 16)$		Tbivalent	20

Test condition	Heating capacity(W)	heating power input(W)	COP	Remark(For variable capacity units, the frequency settings for the same part load conditions.)
B	2648,6	942,5	2,81	68 Hz
C	1541,1	305,4	5,05	30 Hz
D	724,6	112,7	6,43	13 Hz
E	2648,6	942,5	2,81	68 Hz
F	2648,6	942,5	2,81	68 Hz

The SEER, SCOP and Sound power level:

SEER on	SCOP on (Average)	SCOP on (Warmer)	Sound power level (dB(A))
8,04	4,27	5,45	53,0 / 59,7 (U / OU)
SEER	SCOP (Average)	SCOP (Warmer)	
7,53	4,26	5,38	/
Q _{CE}	Q _{HE} (Average)	Q _{HE} (Warmer)	
126	789	677	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/China/Terms-and-Conditions.aspx> and, for all cases in format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/China/Terms-and-Conditions/Sign-a-Document.aspx>. Attention is drawn to the limitation of liability, inherent in the nature of the service and the conditions of use of the document. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any, the Company's sole responsibility is to its Client and the document does not constitute parties to a transaction (even appearing as such) and obliges under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing, inspection report & certificate, please contact us at telephone: (86-153) 8397 1443, or email: CN.Docscheck@sgs.com

15387664262/15387664262, please refer to the test report for details. Tel: (86-21) 5480 1188 1 86-21 68755600 1 86-21 68755671 www.sgs.com.cn

中国 上海 检测校准有限公司 地址: 上海 浦东新区 世纪大道 100 号 10 楼 邮编: 200001 1 86-21 68755600 1 86-21 68755671 e sgs.sh@sgs.com

Member of the SGS Group (SGS SA)

EU-MEGFELELŐSÉGI NYILATKOZAT


(EU-DECLARATION OF CONFORMITY)

CE megfelelési nyilatkozatok sorszáma:

SHCR231000214501HSC (KSZKLM3100)
 SHCR231000214501 (KSZKLM3100)
 AHEE231000221451 (KSZKLM3100)
 AHES230800111401 (KSZKLM3100)
 AHES230800111402 (LKSZKLM3100)
 LVD AHES2308001114HS (KSZKLM3100)
 LVD AHES2308001114HSA01 (KSZKLM3100)
 SHCR231000214601HSC (KSZKLM3100)
 SHCR231000214601 (KSZKLM3100)
 SHCR231000214602 (KSZKLM3100)
 SHCR231000214603 (KSZKLM3100)
 SHCR231000214501 (KSZKLM3101)
 AHEE231000214953 (KSZKLM3101)
 AHES230800111401 (KSZKLM3101)
 AHES230800111402 (KSZKLM3101)
 LVD AHES2308001114HS (KSZKLM3101)
 LVD AHES2308001114HSA01 (KSZKLM3101)
 SHCR231000214601HSC (KSZKLM3101)
 SHCR231000214601 (KSZKLM3101)
 SHCR231000214602 (KSZKLM3101)
 SHCR231000214603 (KSZKLM3101)
 SHCR231100244001HSC (KSZKLM3102)
 SHCR231100244001 (KSZKLM3102)
 AHEE230900189952 (KSZKLM3102)
 AHES230900123903 (KSZKLM3102)
 LVD AHES2309001239HSA02 (KSZKLM3102)
 SHCR231100244201HSC (KSZKLM3102)
 SHCR231100244201 (KSZKLM3102)
 SHCR23100244202 (KSZKLM3102)
 SHCR23100244203 (KSZKLM3102)

1. A gyártó/forgalmazó neve: ROTOVILL Zrt.
2. A gyártó/forgalmazó címe: 7631 Pécs, Csikor Kálmán u. 26.
3. Típus azonosítójuk: KSZKLM3100
KSZKLM3101
KSZKLM3102
4. A termékek megnevezése, leírása: falra szerelhető, split légkondicionáló berendezés
5. A fent nevezett berendezés megfelel a
következő dokumentumok
követelményeinek:
 - 206/2012/EU
 - 626/2011/EU
 - 2011/65/EU – 374/2012. (XII. 18.) Korm. rendelet
 - 2014/30/EU – 8/2016. (XII. 6.) NMHH rendelet
 - 2014/35/EU – 23/2016.(VII. 7.) NGM rendelet
6. Az alkalmazott szabványok hivatkozásai:
 - MSZ EN 60335-2-40:2002+A1:2005+A2:2005
 - MSZ EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019+A15:2021

- MSZ EN 60335-2-40:2003+A11:2004+A12:2005+A1:2006+A2:2009+A13:2012
- MSZ EN 61000-3-3:2013+A1:2019+A2:2021
- MSZ EN 55032:2015+A11:2020+A1:2020
- MSZ EN 55014-2:2021
- MSZ EN 55014-1:2021
- MSZ EN 62233:2008
- MSZ IEC 60335-1:2010
- MSZ EN 60335-2-34
- MSZ EN IEC 61000-3-2:2019+A1:2021
- MSZ EN 60730-1
- MSZ EN 301 489-1 V2.2.3
- MSZ EN 301 489-17 V3.2.4
- MSZ EN 301 328 V2.2.2
- MSZ EN IEC 62311:2020
- MSZ EN 60998-2-1
- MSZ EN 60998-1
- MSZ EN 60384-14
- MSZ EN 60127-1
- MSZ EN 60127-2
- MSZ EN 61810-1
- MSZ EN 60252-1
- MSZ IEC 60079-15
- MSZ EN 60747-5-5
- MSZ EN 61051-1
- MSZ EN 61051-2-2
- MSZ IEC 60335-2-40
- MSZ EN 60335-1
- MSZ IEC 60950-1
- MSZ IEC 61558-2-16
- MSZ EN 50525-2-21
- MSZ EN 61000-4-4:2012
- MSZ EN 14825:2022
- MSZ EN 14511-2:2022
- MSZ EN 14511-3:2022
- MSZ EN 61000-4-6:2014
- MSZ IEC 60245
- MSZ EN 60335-2-65

7. A kiadás helye: Pécs
8. A kiadás dátuma: 2025.05.20
9. A kibocsátó által meghatalmazott személy: Várhalmi Attila
10. A kibocsátó által meghatalmazott beosztása: Vezérigazgató
11. A kibocsátó által meghatalmazott aláírása: 
12. A kibocsátó bélyegzője:

Rotovill 107
 ROTOVILL Kereskedelmi és Szolgáltató Zrt.
 7681 Pécs, Csikor Kálmán u. 26.
 Adószám: 32379813-2-02
 Szla. szám: 10402427-50526684-7068100P

FIGYELEM! Ez a nyilatkozat a terméknek kizárólag arra az állapotára vonatkozik, ahogyan forgalomba hozták, és nem vonatkozik az olyan alkatrésze, amelyet hozzáadnak, és/vagy az olyan műveletre, amelyet a végső felhasználó a forgalomba hozatalt követően végez rajta!

E megfelelőségi nyilatkozat gyártói nyilatkozat alapján került kibocsátásra a felelős forgalmazó részéről.